



junior

For raising young dogs of larger breeds from 4 months of age



benefits:

- Ratio of animal protein to total protein: **80 %**
- Promotes muscle building thanks to the high content of animal protein
- Moderate energy content (fat content 14%) and mineral supply adjusted for controlled growth and healthy bone structure
- Easily digestible thanks to the high proportion of poultry and fish
- Promotes skin and fur with brewers' yeast and lecithin
- Mannan oligosaccharides (MOS) from the cell walls of brewers' yeast promote healthy digestion and help to improve immunity
- β -glucans from the cell walls of brewers' yeast strengthens your dog's immune defences

composition:

Poultry protein, dried (26 %); Maize; Barley; Maize middlings; Fish meal from seafish (5 %); Rice; Poultry fat; Vegetable oil (palm, coconut); Dried beet pulp, desugared; Brewers' yeast, dried (2.5 %); Egg, dried; Carob pods, dried; Poultry liver, hydrolysed; Sodium chloride; Potassium chloride

27.5 | **14**
% | **%**
Protein | **Fat**

junior 800 g, 3 kg, 12.5 kg, 25 kg



product guarantee

- ✓ Made **without** wheat products.
- ✓ Made **without** soya products.
- ✓ No artificial colourings, flavourings or preservatives.
- ✓ natural anti-oxidants

feeding recommendation:

Recommended quantity of food per animal in g/day

Age in months	15-25 kg*	25-35 kg*	35-50 kg*	50-80 kg*
< 4	(puppy)**	(puppy)**	(puppy)**	(puppy)**
4	250-360g	360-450g	450-560g	560-740g
5-6	260-370g	370-470g	470-615g	615-875g
6-12	245-360g	360-480g	480-630g	630-890g
>12	-	360-465g	465-610g	610-785g

*Adult weight

** For puppies up to 4 months, we recommend BEWI DOG® puppy.

Because of individual differences between young dogs of different breeds, the stated quantities can vary by +/- 20 %.



Feeding recommendation: Average quantities for feeding young dogs are listed in the table shown. The correct feeding quantity is best determined by regularly checking the dog's weight. The comparison of the individual weight curve with charts showing growth typical for the breed is recommended. Fresh drinking water should be available at all times.

